



A randomized, double-blind, multicenter study assessing short (16 weeks) and long-term efficacy (up to 1 year), safety, and tolerability of 2 subcutaneous secukinumab dose regimens in adult patients with moderate to severe hidradenitis suppurativa (SUNRISE)

22/11/2024 10:50:21

## Main Information

**Primary registry identifying number**

LBCTR2019020191

**Protocol number**

CAIN457M2302

**MOH registration number**

**Study registered at the country of origin**

Yes

**Study registered at the country of origin: Specify**

**Type of registration**

Prospective

**Type of registration: Justify**

N/A

**Date of registration in national regulatory agency**

**Primary sponsor**

Novartis Pharma Services Inc.

**Primary sponsor: Country of origin**

Novartis Pharmaceuticals

**Date of registration in primary registry**

30/12/2021

**Date of registration in national regulatory agency**

**Public title**

A randomized, double-blind, multicenter study assessing short (16 weeks) and long-term efficacy (up to 1 year), safety, and tolerability of 2 subcutaneous secukinumab dose regimens in adult patients with moderate to severe hidradenitis suppurativa (SUNRISE)

**Acronym**

SUNRISE

**Scientific title**

A randomized, double-blind, multicenter study assessing short (16 weeks) and long-term efficacy (up to 1 year), safety, and tolerability of 2 subcutaneous secukinumab dose regimens in adult patients with moderate to severe hidradenitis suppurativa (SUNRISE)

**Acronym**

**Brief summary of the study: English**

The purpose of this study is to demonstrate superiority of secukinumab at Week 16, based on Hidradenitis Suppurativa Clinical Response (HiSCR) rates versus placebo, along with the maintenance of efficacy of secukinumab at Week 52 in subjects with moderate to severe HS. Moreover, this study will also assess the safety and tolerability of secukinumab.

**Brief summary of the study: Arabic**

دراسة متعددة المراكز ومزدوجة التعمية وعشوائية التوزيع لتقييم الفعالي (أسبوعاً) والطويلة الأمد (لغاية سنة واحدة) لنظامي جرعات تحت الجلد من دواء سيكوكينوماب لدى 16 والسلامة وقدرة التحمل القصيرة الأمد (SUNRISE سانرايز) مرضى بالغين مصابين بالتهاب الغدد العرقية القحبي

**Health conditions/problem studied: Specify**





Patients with Hidradenitis Suppurativa

**Interventions: Specify**

Drug: Secukinumab  
Drug: Placebo

**Key inclusion and exclusion criteria: Inclusion criteria**

- Written informed consent must be obtained before any assessment is performed.
- Male and female patients  $\geq 18$  years of age.
- Diagnosis of HS  $\geq 1$  year prior to baseline.
- Patients with moderate to severe HS defined as:
  - A total of at least 5 inflammatory lesions, i.e. abscesses and/or inflammatory nodules AND
  - Inflammatory lesions should affect at least 2 distinct anatomic areas
- Patients agree to daily use of topical over-the-counter antiseptics on the areas affected by HS lesions while on study treatment.

**Key inclusion and exclusion criteria: Gender**

Both

**Key inclusion and exclusion criteria: Specify gender**

**Key inclusion and exclusion criteria: Age minimum**

18

**Key inclusion and exclusion criteria: Age maximum**

99

**Key inclusion and exclusion criteria: Exclusion criteria**

- Total fistulae count  $\geq 20$  at baseline.
- Any other active skin disease or condition that may interfere with assessment of HS.
- Active ongoing inflammatory diseases other than HS that require treatment with prohibited medications.
- Use or planned use of prohibited treatment. Washout periods detailed in the protocol have to be adhered to.
- History of hypersensitivity to any of the study drug constituents.
- History of lymphoproliferative disease or any known malignancy or history of malignancy of any organ system treated or untreated within the past 5 years, regardless of whether there is evidence of local recurrence or metastases (except for skin Bowen's disease, or basal cell carcinoma or actinic keratoses that have been treated with no evidence of recurrence in the past 12 weeks; carcinoma in situ of the cervix or non-invasive malignant colon polyps that have been removed).
- Pregnant or lactating women.

**Type of study**

Interventional

**Type of intervention**

Pharmaceutical

**Type of intervention: Specify type**

N/A

**Trial scope**

Other

**Trial scope: Specify scope**

**Study design: Allocation**

Randomized controlled trial

**Study design: Masking**

Blinded (masking used)

**Study design: Control**

Placebo

**Study phase**

3

**Study design: Purpose**

Treatment

**Study design: Specify purpose**

N/A

**Study design: Assignment**

Parallel

**Study design: Specify assignment**

N/A

**IMP has market authorization**

Yes, Lebanon and Worldwide

**IMP has market authorization: Specify**

Worldwide

**Name of IMP**

Secukinumab (Cosentyx)

**Year of authorization**

2016

**Month of authorization**

3

**Type of IMP**





Immunological

## Pharmaceutical class

Secukinumab is selective for human IL-17A and potently neutralizes the bioactivity of this cytokine. IL-17A is the central cytokine in multiple autoimmune and inflammatory processes. It is being recognized as one of the principal pro-inflammatory cytokines in autoimmune diseases such as psoriasis, PsA and AS and is thought to play a role in other inflammatory conditions.

## Therapeutic indication

Patients with:

- Psoriasis (Pso)
- Ankylosing Spondylitis (AS)
- Psoriatic Arthritis (PsA)

## Therapeutic benefit

Secukinumab has demonstrated positive benefit-risk in the treatment of multiple chronic inflammatory indications including moderate to severe plaque psoriasis, ankylosing spondylitis, psoriatic arthritis.

## Study model

N/A

## Study model: Explain model

N/A

## Study model: Specify model

N/A

## Time perspective

N/A

## Time perspective: Explain time perspective

N/A

## Time perspective: Specify perspective

N/A

## Target follow-up duration

## Target follow-up duration: Unit

## Number of groups/cohorts

## Biospecimen retention

Samples with DNA\*\*

## Biospecimen description

Samples will be sent to Q Squared Solutions central Lab in UK as per study protocol to assess patient disease response following treatment administration.

## Target sample size

8

## Actual enrollment target size

## Date of first enrollment: Type

Anticipated

## Date of first enrollment: Date

15/04/2019

## Date of study closure: Type

Anticipated

## Date of study closure: Date

29/07/2022

## Recruitment status

Recruiting

## Recruitment status: Specify



**Date of completion**

16/02/2021

**IPD sharing statement plan**

No

**IPD sharing statement description**

Novartis is committed to sharing with qualified external researchers, access to patient-level data and supporting clinical documents from eligible studies. These requests are reviewed and approved by an independent review panel on the basis of scientific merit. All data provided is anonymized to respect the privacy of patients who have participated in the trial in line with applicable laws and regulations.

This trial data availability is according to the criteria and process described on [www.clinicalstudydatarequest.com](http://www.clinicalstudydatarequest.com)

**Additional data URL**

<https://www.clinicaltrials.gov/ct2/show/NCT03713632?term=AIN457&recrs=ab&cond=Hidradenitis+Suppurativa&rank=1>

**Admin comments****Trial status**

Approved

## Secondary Identifying Numbers

Full name of issuing authority	Secondary identifying number
National Institute of Health (clinicaltrials.gov)	NCT03713632

## Sources of Monetary or Material Support

Name
Novartis Pharma Services Inc.

## Secondary Sponsors

Name
NA

## Contact for Public/Scientific Queries

Contact type	Contact full name	Address	Country	Telephone	Email	Affiliation
Public	Hadi Hamam	Saida	Lebanon	9613795246	hadihamam@hotmail.com	Hammou Hospital
Scientific	Hind Khairallah	Sin El Fil	Lebanon	+961 1 512002 Ext. 271	Hind.Khairallah@fattal.com.lb	Khalil Fattal et Fils s.a.l.
Public	Roy Moutran	Beirut	Lebanon	9613592192	roymoutran@yahoo.com	Mount Lebanon Hospital



## Centers/Hospitals Involved in the Study

Center/Hospital name	Name of principles investigator	Principles investigator speciality	Ethical approval
Hammoud Hospital University Medical Center	Dr Hadi Hamam	Dermatology	Approved
Mount Lebanon Hospital	Dr Roy Moutran	Dermatology	Approved

## Ethics Review

Ethics approval obtained	Approval date	Contact name	Contact email	Contact phone
Hammoud Hospital University Medical Center	20/12/2018	Ahmad Zaatari	aatari@hammoudhospital.com	+961 (0) 7 723111 ext 1160
Mount Lebanon Hospital	30/04/2019	Marie Merheb	Marie.merheb@mlh.com.lb	+961 (0) 5 957 000 exr 1200



Countries of Recruitment		
Name		
Belgium		
Argentina		
Bulgaria		
Croatia		
Czech Republic		
Brazil		
Canada		
Colombia		
France		
Denmark		
Germany		
Guatemala		
India		
Greece		
Hungary		
Lebanon		
Malaysia		
Italy		
Turkey		
United Kingdom		
United States of America		

Health Conditions or Problems Studied		
Condition	Code	Keyword
Hidradenitis Suppurativa	Hidradenitis suppurativa (L73.2)	Hidradenitis Suppurativa



## Interventions

Intervention	Description	Keyword
Reference table 8-1 of the study protocol: Obtain informed consent (ICF), Demography, Inclusion / Exclusion criteria, Washout evaluation / instruction, Relevant medical history / current medical condition, HS medical history and previous therapies, Smoking history, Hurley stage, Prior / concomitant medications, Adverse Events, Physical Examination, Body Height, Body Weight, Vital Signs, Tuberculosis test, Lesion count (physician), Numerical Rating, Scale for pain assessment, Modified Hidradenitis Suppurativa Score (mHSS), HS-Physician's Global Assessment, Patient's Lesion Count, DLQI, EQ5D, Patient Global Impression of severity (PGI-s), Patient Global Impression of change (PGI-c), Work productivity Activity Impairment (WPAI)	ICF, Lab, questionnaires, Medication administration, physical examination	ICF, Lab tests, Questionnaires, Medication administration

## Primary Outcomes

Name	Time Points	Measure
Proportion of patients with Hidradenitis Suppurativa Clinical Response (HiSCR)	16 weeks	16 weeks

## Key Secondary Outcomes

Name	Time Points	Measure
Participants achieving NRS30	16 weeks	16 weeks
Proportion of patients with HS flares	16 weeks	16 weeks



## Trial Results

**Summary results**

**Study results globally**

**Date of posting of results summaries**

**Date of first journal publication of results**

**Results URL link**

**Baseline characteristics**

**Participant flow**

**Adverse events**

**Outcome measures**

**URL to protocol files**