



Clinical Study of Oral cMET Inhibitor INC280 in Adult Patients With EGFR Wild-type Advanced Non-small Cell Lung Cancer

20/08/2025 09:27:50

Main Information

Primary registry identifying number

LBCTR2019121368

Protocol number

CINC280A2201

MOH registration number

4331/ص

Study registered at the country of origin

Yes

Study registered at the country of origin: Specify

Type of registration

Retrospective

Type of registration: Justify

This study already started before LBCTR registry and still ongoing

Date of registration in national regulatory agency

15/05/2015

Primary sponsor

Novartis Pharma Services Inc.

Primary sponsor: Country of origin

Novartis Pharma Services Inc.

Date of registration in primary registry

13/08/2020

Date of registration in national regulatory agency

15/05/2015

Public title

Clinical Study of Oral cMET Inhibitor INC280 in Adult Patients With EGFR Wild-type Advanced Non-small Cell Lung Cancer

Acronym

Scientific title

A Phase II, Multicenter Study of Oral cMET Inhibitor INC280 in Adult Patients With EGFR Wild-type (wt), Advanced Non-small Cell Lung Cancer (NSCLC)

Acronym

Brief summary of the study: English

A phase II study to evaluate antitumor activity of oral cMET inhibitor INC280 in adult patients with EGFR wild-type, advanced non-small cell lung cancer (NSCLC) as measured by overall response rate (ORR). The study will also evaluate safety and pharmacokinetics of INC280.

Brief summary of the study: Arabic

لدى المرضى البالغين المصابين بسرطان الرئة غير ذي الخلايا الصغيرة INC280 القموي cMET دراسة مرحلة ثانية متعددة المراكز لمقبط EGFR المتقدم من النوع الحاد

Health conditions/problem studied: Specify

advanced non-small cell lung cancer (NSCLC)

Interventions: Specify

INC280 (capmatinib)

Key inclusion and exclusion criteria: Inclusion criteria

Inclusion Criteria:

- Stage IIIB or IV NSCLC (any histology) at the time of study entry
- Histologically or cytologically confirmed diagnosis of NSCLC that is:





1. EGFR wt as per patient standard of care by a validated test
2. AND ALK-negative rearrangement as part of the patient standard of care by a validated test

3. AND (by central assessment) either:

- ☐ Cohort 1: Pre-treated patients with cMET GCN ≥ 6 or
- ☐ Cohort 2: Pre-treated patients with cMET GCN ≥ 4 and < 6 , or
- ☐ Cohort 3: Pre-treated patients with cMET GCN < 4 , or
- ☐ Cohort 4: Pre-treated patients with cMET mutations regardless of cMET GCN, or
- ☐ Cohort 5: Treatment-naïve patients with cMET dysregulation, or
- ☐ Cohort 6: Pre-treated patients with either cMET GCN ≥ 10 without cMET mutations or cMET mutations regardless of cMET GCN, or
- ☐ Cohort 7: Treatment-naïve patients with cMET mutations regardless of cMET GCN

- To be eligible for Cohorts 1-4, patients must have failed one or two prior lines of systemic therapy for advanced/metastatic disease
- To be eligible for Cohort 6, patients must have failed one prior line of systemic therapy for advanced/metastatic disease
- To be eligible for Cohort 5 and Cohort 7, patients must not have received any systemic therapy for advanced/metastatic disease
- At least one measurable lesion as defined by RECIST 1.1
- Patients must have recovered from all toxicities related to prior anticancer therapies to grade ≤ 1 (CTCAE v 4.03). Patients with any grade of alopecia are allowed to enter the study.
- Patients must have adequate organ function
- ECOG performance status (PS) of 0 or 1 Details and other protocol-defined inclusion criteria may apply

Key inclusion and exclusion criteria: Gender

Both

Key inclusion and exclusion criteria: Specify gender

Key inclusion and exclusion criteria: Age minimum

18

Key inclusion and exclusion criteria: Age maximum

99

Key inclusion and exclusion criteria: Exclusion criteria

Exclusion Criteria:

- Prior treatment with crizotinib, or any other cMET or HGF inhibitor
- Patients with characterized EGFR mutations that predict sensitivity to EGFR therapy, including, but not limited to exon 19 deletions and exon 21 mutations
- Patients with characterized ALK-positive rearrangement
- Clinically significant, uncontrolled heart diseases.

- Patients receiving treatment with medications that cannot be discontinued at least 1 week prior to first INC280 treatment and for the duration of the study:

- Strong inducers of CYP3A4

- Impairment of GI function or GI disease that may significantly alter the absorption of INC280
- Patients receiving treatment with any enzyme-inducing anticonvulsant
- Applicable to Cohorts 1-4 and Cohort 6 only: Previous anti-cancer and investigational agents within 4 weeks or $\leq 5 \times$ half-life of the agent (whichever is longer) before first dose
- Pregnant or nursing women
- Women of child-bearing potential, unless they are using highly effective methods of contraception
- Sexually active males unless they use a condom during intercourse
- Presence or history of interstitial lung disease or interstitial pneumonitis, including clinically significant radiation pneumonitis

Other protocol-defined exclusion criteria may apply

Type of study

Interventional

Type of intervention

Pharmaceutical

Type of intervention: Specify type

N/A

Trial scope

Therapy

Trial scope: Specify scope

N/A

Study design: Allocation

N/A: Single arm study

Study design: Masking

Open (masking not used)

Study design: Control

N/A

Study phase

2

Study design: Purpose

Study design: Specify purpose



Treatment	N/A	
Study design: Assignment	Study design: Specify assignment	
Single	N/A	
IMP has market authorization	IMP has market authorization: Specify	
No		
Name of IMP	Year of authorization	Month of authorization
INC280 (capmatinib)		
Type of IMP		
Others		
Pharmaceutical class		
adenosine triphosphate (ATP) competitive, reversible inhibitor of the c-MET receptor tyrosine kinase		
Therapeutic indication		
Adult male and female patients with EGFR wt (for exon 19 deletions and exon 21 L858R substitution mutations), ALK-negative rearrangement, advanced (stage IIIB or IV) NSCLC who have received one or two prior lines of systemic therapy for advanced/metastatic disease.		
Therapeutic benefit		
Overall Response Rate (ORR)		
Study model	Study model: Explain model	
N/A	N/A	
Study model: Specify model		
N/A		
Time perspective	Time perspective: Explain time perspective	
N/A	N/A	
Time perspective: Specify perspective		
N/A		
Target follow-up duration	Target follow-up duration: Unit	
Number of groups/cohorts		
Biospecimen retention	Biospecimen description	
Samples with DNA**	Samples shipped to central laboratory.	
Target sample size	Actual enrollment target size	
3	3	

**Date of first enrollment: Type**

Actual

Date of first enrollment: Date

20/04/2016

Date of study closure: Type

Actual

Date of study closure: Date

25/12/2020

Recruitment status

Complete

Recruitment status: Specify**Date of completion**

12/02/2020

IPD sharing statement plan

No

IPD sharing statement description

Novartis is committed to sharing with qualified external researchers, access to patient-level data and supporting clinical documents from eligible studies. These requests are reviewed and approved by an independent review panel on the basis of scientific merit. All data provided is anonymized to respect the privacy of patients who have participated in the trial in line with applicable laws and regulations.

This trial data availability is according to the criteria and process described on www.clinicalstudydatarequest.com

Additional data URL

<https://clinicaltrials.gov/ct2/show/record/NCT02414139?cond=Lung+Cancer&cntry=LB&draw=2>

Admin comments**Trial status**

Approved

Secondary Identifying Numbers

Full name of issuing authority	Secondary identifying number
Clinical Trials .gov	NCT02414139

Sources of Monetary or Material Support

Name
Novartis Pharma Services Inc

Secondary Sponsors

Name
NA



Contact for Public/Scientific Queries

Contact type	Contact full name	Address	Country	Telephone	Email	Affiliation
Public	Fadi Farhat	Saida	Lebanon	03-753155	drfadi.trials@gmail.com	Hammoud Hospital University Medical Center
Scientific	Hind Khairallah	Sin El Fil	Lebanon	+961 1512002 # 271	Hind.Khairallah@fattal.com.lb	Khalil Fattal et Fils s.a.l.
Public	Joseph Kattan	Beirut	Lebanon	03-635913	jkattan62@hotmail.com	Hotel Dieu De France
Public	Arafat Tfayli	Beirut	Lebanon	71-194294	Arafat.tfayli@aub.edu.lb	American University Of Beirut Medical Center

Centers/Hospitals Involved in the Study

Center/Hospital name	Name of principles investigator	Principles investigator speciality	Ethical approval
Hammoud Hospital University Medical Center	Fadi Farhat	Hematology- Oncology	Approved
American University of Beirut Medical Center	Arafat Tfayli	Hematology- Oncology	Approved
Hotel Dieu De France	Joseph Kattan	Hematology- Oncology	Approved

Ethics Review

Ethics approval obtained	Approval date	Contact name	Contact email	Contact phone
American University of Beirut Medical Center	14/09/2015	Fuad Ziyadeh	fz05@aub.edu.lb	961 (0) 1 350 000 ext:5445
Hotel Dieu de France	17/04/2015	Nancy Alam	nancy.alam@usj.edu.lb	961 (0) 1 421000 ext 2335
Hammoud Hospital University Medical Center	02/06/2017	Ahmad Zaatari	zaatari@hammoudhospital.com	961 (0) 7 723111 ext 1160



Countries of Recruitment

Name
Lebanon
Argentina
Austria
Brazil
Canada
China
France
Germany
Italy
Japan
Mexico
Netherlands
Norway
Turkey
United States of America

Health Conditions or Problems Studied

Condition	Code	Keyword
advanced non-small cell lung cancer (NSCLC)	Bronchus or lung, unspecified (C34.9)	advanced non-small cell lung cancer (NSCLC)

Interventions

Intervention	Description	Keyword
Lab tests, ECG, Physical Exam , ICF	Lab tests, ECG, Physical Exam , ICF	Lab tests, ECG, Physical Exam , ICF



Primary Outcomes

Name	Time Points	Measure
Overall Response Rate (ORR)	18 weeks	18 weeks

Key Secondary Outcomes

Name	Time Points	Measure
Duration of Response (DOR)	18 weeks	18 weeks
Progression-free Survival	18 weeks	18 weeks

Trial Results

Summary results

Study results globally

Date of posting of results summaries

Date of first journal publication of results

Results URL link

Baseline characteristics

Participant flow

Adverse events

Outcome measures

URL to protocol files